

# SAFETY DATA SHEET

## ROAD RAGE

### 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY

**PRODUCT NAME:** ROAD RAGE

**SUPPLIER:** Pedro's USA - A Division of Swix Sport,  
Box 2043 Aretta,  
N-2601 Lillehammer,  
Norway/Norge

**TEL:** +47 612 22 100

**MANUFACTURER:** Pedro's  
600 Research Drive,  
Wilmington, MA 01887  
U S A

**TEL:** 001 978 657 6551

### 2 COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT NAME	EINECS No.	CAS No.	CONTENTS	SYMBOL	RISK (R No.)
ZINC SALT	272-028-3	68649-42-3	0-1 %	Xi, N	38, 41, 51/53

The full text for all R-phrases are shown in section 16.

### 3 HAZARDS IDENTIFICATION

Not regarded as a health hazard under current legislation.

### 4 FIRST AID MEASURES

**INHALATION:** Move the exposed person to fresh air at once. Get medical attention promptly if symptoms develop.

**INGESTION:** DO NOT INDUCE VOMITING! Get medical attention immediately!  
If aspiration occurs send patient to hospital or obtain immediate medical attention. Risk of entry into lungs and chemical pneumonitis.

**SKIN:** Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing.

**EYES:** Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

### 5 FIRE FIGHTING MEASURES

**EXTINGUISHING MEDIA:** Carbon dioxide (CO<sub>2</sub>). Foam. Dry chemicals, sand, dolomite etc. Water spray, fog or mist.

**SPECIAL FIRE FIGHTING PROCEDURES:** No specific fire fighting procedure given.

**UNUSUAL FIRE & EXPLOSION HAZARDS:** No unusual fire or explosion hazards noted.

**PROTECTIVE MEASURES IN FIRE:** Wear self-contained breathing apparatus and appropriate protective clothing.

### 6 ACCIDENTAL RELEASE MEASURES

**PERSONAL PRECAUTIONS DURING SPILL:** Avoid contact with eyes, skin and clothing.

**PRECAUTIONS TO PROTECT ENVIRONMENT:** Try to prevent the material from entering the drains or watercourses

**SPILL CLEANUP METHODS:** Spilled material may cause area to be slippery. Dike far ahead of larger spills for later disposal. Smaller quantities of residue may be collected by an absorbent. Collect spillage in containers, seal securely and deliver for disposal according to local regulations.

# ROAD RAGE

## 7 HANDLING AND STORAGE

**USAGE PRECAUTIONS:** Avoid spilling, skin and eye contact. Keep away from heat, sparks and open flame.  
**STORAGE PRECAUTIONS:** Keep in cool, dry, ventilated storage and closed containers. Keep away from heat, sparks and open flame. Keep out of reach of children.

## 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

**INGREDIENT COMMENTS:** Exposure limit should be taken as 5mg/M3 [as for Oil Mist]  
**VENTILATION:** No particular ventilation requirements.  
**RESPIRATORS:** Exposure should be avoided/controlled by ventilation or extraction. Where exposure is likely to be prolonged or excessive wear approved respiratory protection. Consult respirator manufacturer for specific advice.  
**PROTECTIVE GLOVES:** No specific hand protection noted, but gloves may still be advisable. Confirmation of materials/advice should be sought from glove suppliers.  
**EYE PROTECTION:** Wear dust proof eye goggles if risk of spraying mist.  
**HYGIENIC WORK ROUTINES:** Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Wash promptly with soap & water if skin becomes contaminated. No eating or drinking while working with this material.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

<b>APPEARANCE:</b>	Liquid.	<b>COLOUR:</b>	Green.
<b>ODOUR/TASTE:</b>	Mild (or faint).		
<b>SOLUBILITY DESCRIPTION:</b>	Insoluble in water. Soluble in: Organic solvents.		
<b>SPECIFIC GRAVITY (Water=1):</b>	0.86 @ Not noted °C	<b>VAPOUR DENSITY (air=1):</b>	N/A
<b>VAPOUR PRESSURE:</b>	Negligible @ 25 °C	<b>VOLATILE BY VOL.(%):</b>	None
<b>VISCOSITY:</b>	21 cSt @ 40 °C	<b>FLASH POINT (°C):</b>	210
<b>FLASH POINT METHOD:</b>	Cd OC (Cleveland open cup).		
<b>AUTO IGNITION TEMPERATURE (°C):</b>	293		

## 10 STABILITY AND REACTIVITY

**STABILITY:** Normally stable.  
**CONDITIONS TO AVOID:** Avoid heat, flames and other sources of ignition.  
**HAZARDOUS POLYMERIZATION:** Will not polymerise.  
**MATERIALS TO AVOID:** Oxidising agents.  
**HAZARDOUS DECOMPOSITION PRODUCTS:** Fire or high temperatures create: Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

## 11 TOXICOLOGICAL INFORMATION

**TOXIC DOSE1- LD50:** >5000mg/kg (oral rat)  
**TOXIC CONC.- LC50:** >2500mg/l/4h (inh-rat)  
**TOXICOLOGICAL INFORMATION:** COMPONENT:  
PETROLEUM LUBRICATING OILS, C20-50  
TOXIC DOSE; LD50: > 6000 mg/kg, oral rat.  
**INHALATION:** No specific health warnings noted.  
**INGESTION:** Pneumonia may be the result if vomited material containing solvents reaches the lungs. May cause discomfort if swallowed. Diarrhoea.  
**SKIN:** Prolonged or repeated contact may cause dryness of skin resulting in irritation.  
**EYES:** May cause slight irritation.

## 12 ECOLOGICAL INFORMATION

**LC50 96 HRS FISH (mg/Kg):** > 40000

## 13 DISPOSAL CONSIDERATIONS

**DISPOSAL METHODS:** Recover and reclaim or recycle, if practical. Empty containers can contain combustible residue. Do not cut, drill, grind, weld or perform similar operations on or near empty containers. Dispose of in accordance with Local Authority requirements.

# ROAD RAGE

## 14 TRANSPORT INFORMATION

ROAD:  
HAZARD CLASS (ADR): Not classified for transportation.

RAIL:  
SEA:  
AIR:

## 15 REGULATORY INFORMATION

RISK PHRASES: Not classified.

SAFETY PHRASES: Not classified.

## 16 OTHER INFORMATION

REVISION DATE: 09-2003

REVISION No. /REPLACES SDS ISSUED:

R-PHRASES (Full Text):	First issue.	
	R-38	Irritating to skin.
	R-41	Risk of serious damage to eyes.
	R-51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.