



Material Safety Data Sheet

Bike Lust

1. Product and company identification

Product name : Bike Lust
Material uses : Bicycle polish.
Supplier/Manufacturer : Pedro's Incorporated
 600 Research Drive
 Wilmington, Massachusetts 01887
Validation date : 06/30/2008
Responsible name : Atrion Regulatory Services, Inc.
In case of emergency : CHEMTREC International: (703) 527-3887
 24/7

2. Hazards identification

Physical state : Liquid.
Odor : Vanilla.
OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Emergency overview : WARNING!
 CAUSES EYE AND SKIN IRRITATION. CONTAINS MATERIAL THAT CAN CAUSE TARGET ORGAN DAMAGE.
 Irritating to eyes and skin. Avoid exposure - obtain special instructions before use. Do not breathe vapor or mist. Avoid contact with eyes, skin and clothing. Contains material that can cause target organ damage. Wash thoroughly after handling.

Potential acute health effects

Inhalation : No known significant effects or critical hazards.
Ingestion : No known significant effects or critical hazards.
Skin : Irritating to skin.
Eyes : Irritating to eyes.

Potential chronic health effects

Chronic effects : Contains material that can cause target organ damage.
Carcinogenicity : No known significant effects or critical hazards.
Mutagenicity : No known significant effects or critical hazards.
Teratogenicity : No known significant effects or critical hazards.
Developmental effects : No known significant effects or critical hazards.
Fertility effects : No known significant effects or critical hazards.
Target organs : Contains material which causes damage to the following organs: kidneys, upper respiratory tract, skin, central nervous system (CNS), eye, lens or cornea.

Over-exposure signs/symptoms

Inhalation : No specific data.
Ingestion : No specific data.
Skin : Adverse symptoms may include the following:
 irritation
 redness
Eyes : Adverse symptoms may include the following:
 pain or irritation
 watering
 redness

2. Hazards identification

Medical conditions aggravated by over-exposure : Pre-existing disorders involving any target organs mentioned in this MSDS as being at risk may be aggravated by over-exposure to this product.

See toxicological information (section 11)

3. Composition/information on ingredients

United States

Name	CAS number	%
Propan-2-ol	67-63-0	10 - 30
Glycerin	56-81-5	1 - 5

Canada

Name	CAS number	%
Propan-2-ol	67-63-0	10 - 30
Glycerin	56-81-5	1 - 5

Mexico

Name	UN number	IDLH	Classification				CAS number	%
			H	F	R	Special		
Propan-2-ol	UN1219	2000 ppm	1	3	0	67-63-0	10 - 30	
Glycerin	Not regulated.	-	0	1	0	56-81-5	1 - 5	

4. First aid measures

- Eye contact** : Check for and remove any contact lenses. In case of contact with eyes, rinse immediately with plenty of water. Get medical attention if symptoms occur.
- Skin contact** : Wash with soap and water. Get medical attention if symptoms occur.
- Inhalation** : If inhaled, remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms appear.
- Ingestion** : Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if symptoms appear.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
- Notes to physician** : No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

5. Fire-fighting measures

- Flammability of the product** : May be combustible at high temperature.
- Extinguishing media**
- Suitable** : Use an extinguishing agent suitable for the surrounding fire.
 - Not suitable** : None known.
- Hazardous thermal decomposition products** : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6 . Accidental release measures

- Personal precautions** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
- Methods for cleaning up**
- Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal.

7 . Handling and storage

- Handling** : Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Storage** : Store between the following temperatures: 32 to 120°C (89.6 to 248°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8 . Exposure controls/personal protection

	United States
Product name	Exposure limits
Propan-2-ol	ACGIH TLV (United States, 1/2007). STEL: 400 ppm 15 minute(s). TWA: 200 ppm 8 hour(s).
	NIOSH REL (United States, 12/2001). STEL: 1225 mg/m ³ 15 minute(s). STEL: 500 ppm 15 minute(s). TWA: 980 mg/m ³ 10 hour(s). TWA: 400 ppm 10 hour(s).
	OSHA PEL (United States, 11/2006). TWA: 980 mg/m ³ 8 hour(s). TWA: 400 ppm 8 hour(s).
Glycerin	ACGIH TLV (United States, 1/2007).

8 . Exposure controls/personal protection

TWA: 10 mg/m³ 8 hour(s). Form: Mist
OSHA PEL (United States, 11/2006).
TWA: 5 mg/m³ 8 hour(s). Form: Respirable fraction
TWA: 15 mg/m³ 8 hour(s). Form: Total dust

Canada

Product name

Propan-2-ol

Exposure limits**CA Alberta Provincial (Canada, 10/2006).**

15 min OEL: 1230 mg/m³ 15 minute(s).
8 hrs OEL: 400 ppm 8 hour(s).
15 min OEL: 500 ppm 15 minute(s).
8 hrs OEL: 983 mg/m³ 8 hour(s).

CA British Columbia Provincial (Canada, 7/2007).

TWA: 200 ppm 8 hour(s).
STEL: 400 ppm 15 minute(s).

CA Ontario Provincial (Canada, 3/2007).

TWAEV: 200 ppm 8 hour(s).
STEV: 400 ppm 15 minute(s).

CA Quebec Provincial (Canada, 12/2006).

TWAEV: 400 ppm 8 hour(s).
TWAEV: 983 mg/m³ 8 hour(s).
STEV: 500 ppm 15 minute(s).
STEV: 1230 mg/m³ 15 minute(s).

Glycerin

CA Alberta Provincial (Canada, 10/2006).

8 hrs OEL: 10 mg/m³ 8 hour(s). Form: Mist

CA British Columbia Provincial (Canada, 7/2007).

TWA: 10 mg/m³ 8 hour(s). Form: Mist
TWA: 3 mg/m³ 8 hour(s). Form: Respirable fraction/Mist

CA Ontario Provincial (Canada, 3/2007).

TWAEV: 10 mg/m³ 8 hour(s). Form: Mist

CA Quebec Provincial (Canada, 12/2006).

TWAEV: 10 mg/m³ 8 hour(s). Form: Mist

Mexico

Product name

Propan-2-ol

Exposure limits**NOM-010-STPS (Mexico, 9/2000).**

LMPE-CT: 1225 mg/m³ 15 minute(s).
LMPE-CT: 500 ppm 15 minute(s).
LMPE-PPT: 980 mg/m³ 8 hour(s).
LMPE-PPT: 400 ppm 8 hour(s).

Glycerin

NOM-010-STPS (Mexico, 9/2000).

LMPE-PPT: 10 mg/m³ 8 hour(s). Form: Mist

Consult local authorities for acceptable exposure limits.**Recommended monitoring procedures**

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

Engineering measures

: If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

8 . Exposure controls/personal protection

Personal protection

- Eyes** : Safety glasses.
Skin : Lab coat.
Respiratory : A respirator is not needed under normal and intended conditions of use.
Hands : Natural rubber (latex).

Personal protective equipment (Pictograms)



HMIS Code/Personal protective equipment : B

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9 . Physical and chemical properties

- Physical state** : Liquid.
Flash point : Closed cup: Not applicable.
Color : White.
Odor : Vanilla.
pH : 8
Solubility : Miscible in water.

10 . Stability and reactivity

- Stability** : The product is stable.
Hazardous polymerization : Under normal conditions of storage and use, hazardous polymerization will not occur.
Conditions to avoid : No specific data.
Materials to avoid : Reactive or incompatible with the following materials: oxidizing materials.
Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11 . Toxicological information

Acute toxicity

Product/ingredient name	Species	Dose	Result	Exposure
Propan-2-ol	Rabbit	12800 mg/kg	LD50 Dermal	-
	Rat	5045 mg/kg	LD50 Oral	-
	Rat	5000 mg/kg	LD50 Oral	-
Glycerin	Rabbit	>10 g/kg	LD50 Dermal	-
	Rat	12600 mg/kg	LD50 Oral	-

- Inhalation** : No known significant effects or critical hazards.
Ingestion : No known significant effects or critical hazards.
Skin : Irritating to skin.
Eyes : Irritating to eyes.

Carcinogenicity Classification



11 . Toxicological information

Product/ingredient name	ACGIH	IARC	EPA	NIOSH	NTP	OSHA
Propan-2-ol	A4	3	-	-	-	-

12 . Ecological information

Environmental effects : No known significant effects or critical hazards.

Aquatic ecotoxicity

Product/ingredient name

Product/ingredient name	Test	Species	Exposure	Result
Propan-2-ol	-	Fish	96 hours	Acute LC50 >1400000 ug/L
	-	Crustaceans	48 hours	Acute LC50 1400000 to 1950000 ug/L
Glycerin	-	Fish	96 hours	Acute LC50 54 to 57 ml/L Fresh water

Other adverse effects : No known significant effects or critical hazards.

13 . Disposal considerations

Waste disposal : The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

14 . Transport information

AERG : Not applicable.

Regulatory information

DOT/ TDG / Mexico IMDG/ IATA : Not regulated.

15 . Regulatory information

United States

HCS Classification : Irritating material
Target organ effects

U.S. Federal regulations : **United States inventory (TSCA 8b)**: All components are listed or exempted.

SARA 302/304/311/312 extremely hazardous substances: No products were found.

SARA 302/304 emergency planning and notification: No products were found.

SARA 302/304/311/312 hazardous chemicals: Propan-2-ol; Glycerin

SARA 311/312 MSDS distribution - chemical inventory - hazard identification

Propan-2-ol: Fire hazard, Immediate (acute) health hazard, Delayed (chronic) health hazard; Glycerin: Immediate (acute) health hazard, Delayed (chronic) health hazard

Clean Water Act (CWA) 307: No products were found.

Clean Water Act (CWA) 311: No products were found.

Clean Air Act (CAA) 112 accidental release prevention No products were found.

Clean Air Act (CAA) 112 regulated flammable substances No products were found.

Clean Air Act (CAA) 112 regulated toxic substances No products were found.

15 . Regulatory information

SARA 313

	Product name	CAS number	Concentration
Form R - Reporting requirements	: Propan-2-ol	67-63-0	10 - 30
Supplier notification	: Propan-2-ol	67-63-0	10 - 30

SARA 313 notifications must not be detached from the MSDS and any copying and redistribution of the MSDS shall include copying and redistribution of the notice attached to copies of the MSDS subsequently redistributed.

State regulations	<p>Connecticut Carcinogen Reporting: None of the components are listed.</p> <p>Connecticut Hazardous Material Survey: None of the components are listed.</p> <p>Florida substances: None of the components are listed.</p> <p>Illinois Chemical Safety Act None of the components are listed.</p> <p>Illinois Toxic Substances Disclosure to Employee Act None of the components are listed.</p> <p>Louisiana Reporting: None of the components are listed.</p> <p>Louisiana Spill: None of the components are listed.</p> <p>Massachusetts Spill: None of the components are listed.</p> <p>Massachusetts Substances: The following components are listed: Propan-2-ol;Glycerin</p> <p>Michigan Critical Material: None of the components are listed.</p> <p>Minnesota Hazardous Substances: None of the components are listed.</p> <p>New Jersey Hazardous Substances: The following components are listed: Propan-2-ol</p> <p>New Jersey Spill: None of the components are listed.</p> <p>New Jersey Toxic Catastrophe Prevention Act: None of the components are listed.</p> <p>New York Acutely Hazardous Substances: None of the components are listed.</p> <p>New York Toxic Chemical Release Reporting: None of the components are listed.</p> <p>Pennsylvania RTK Hazardous Substances: The following components are listed: Propan-2-ol;Glycerin</p> <p>Rhode Island Hazardous Substances: None of the components are listed.</p>
--------------------------	---

Canada

WHMIS (Canada)	: Class D-2B: Material causing other toxic effects (Toxic).
-----------------------	---




Canadian lists	<p>CEPA Toxic substances: None of the components are listed.</p> <p>Canadian ARET: None of the components are listed.</p> <p>Canadian NPRI: The following components are listed: Propan-2-ol</p> <p>Alberta Designated Substances: None of the components are listed.</p> <p>Ontario Designated Substances: None of the components are listed.</p> <p>Quebec Designated Substances: None of the components are listed.</p>
-----------------------	--

Canada inventory	: Canada inventory: All components are listed or exempted.
-------------------------	---

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Mexico

Classification	:
-----------------------	---



International regulations

International lists	: This product, (and its ingredients) is (are) listed on national inventories, or is (are) exempted from being listed, in Australia (AICS), in Europe (EINECS/ELINCS), in Korea (TCCL), in Japan (METI), in the Philippines (RA6969).
----------------------------	---

16 . Other information

Label requirements : CAUSES EYE AND SKIN IRRITATION. CONTAINS MATERIAL THAT CAN CAUSE TARGET ORGAN DAMAGE.

Hazardous Material Information System (U.S.A.) :

Health	*	1
Fire hazard		0
Physical Hazard		0
Personal protection		B

HAZARD RATINGS

4- Extreme
 3- Serious
 2- Moderate
 1- Slight
 0- Minimal

See section 8 for more detailed information on personal protection.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.) :



References : ANSI Z400.5, MSDS Standard, 2004. - Manufacturer's Material Safety Data Sheet. - 29CFR Part1910.1200 OSHA MSDS Requirements. - 49CFR Table List of Hazardous Materials, UN#, Proper Shipping Names, PG. - Canada Gazette Part II, Vol. 122, No. 2. Registration SOR/88-64, 31 December 1987. Hazardous Products Act "Ingredient Disclosure List" - Canadian Transport of Dangerous Goods, Regulations and Schedules, Clear Language version 2005. - Official Mexican Standards NOM-018-STPS-2000 and NOM-004-SCT2-1994.

Date of issue : 06/30/2008

Date of previous issue : 2002

Version : 2

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.